	Application No.	Applicant(s)	
Notice of Allowability	10/702,170	INOUE, HITOSHI	
	Examiner	Art Unit	
	Steven Kau	2625	
The MAILING DATE of this communication appearance All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIOF the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED or other appropriate comminger in the	in this application. If not include nunication will be mailed in due	ed course. THIS
1. This communication is responsive to <u>9/4/2007</u> .			
2. ☑ The allowed claim(s) is/are <u>1-6</u> .			
 Acknowledgment is made of a claim for foreign priority ur a) All b) Some* c) None of the 1. Certified copies of the priority documents have 2. Certified copies of the priority documents have 3. Copies of the certified copies of the priority do International Bureau (PCT Rule 17.2(a)). * Certified copies not received:	e been received. e been received in Applicat	tion No	ion from the
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONN THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.	of this communication to fi IENT of this application.	le a reply complying with the rec	quirements
4. A SUBSTITUTE OATH OR DECLARATION must be subm INFORMAL PATENT APPLICATION (PTO-152) which give	nitted. Note the attached Exert eason(s) why the oath	XAMINER'S AMENDMENT or N or declaration is deficient.	OTICE OF
 5. CORRECTED DRAWINGS (as "replacement sheets") must (a) including changes required by the Notice of Draftspers 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner' Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in 6 DEPOSIT OF and/or INFORMATION about the deposition of the property of t	son's Patent Drawing Revi 's Amendment / Comment 1.84(c)) should be written on the header according to 37 (sit of BIOLOGICAL MA	or in the Office action of the drawings in the front (not the CFR 1.121(d). TERIAL must be submitted. N	
attached Examiner's comment regarding REQUIREMENT	FOR THE DEPOSIT OF E	BIOLOGICAL MATERIAL.	
 Attachment(s) 1. ☑ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☐ Information Disclosure Statements (PTO/SB/08),	6. ☑ Interview Paper No 7. ☑ Examiner	Informal Patent Application Summary (PTO-413), o./Mail Date 's Amendment/Comment 's Statement of Reasons for Allo	owance

Application/Control Number: 10/702,170

Art Unit: 2625

DETAILED ACTION

Examiner's Amendment

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Mr. Timothy J. Lane on November 15, 2007.

The application has been amended as follows:

Paragraph [0025] "Fig. 9 is a graph illustrating a change in contrast value in response to modification of a gradient."

has been amended to read "Figs. 9A-9D are graphs illustrating changes in contrast values in response to modification of a gradient."

Allowable Subject Matter

2. The following is an examiner's statement of reason for allowance.

Claims 1-6 are allowable because applicant presents remark/argument on September 4, 2007 is persuasive.

With regard to claim 1, it is drawn to a method of setting tonal gradation conversion characteristics applied to an image in an image processing apparatus that processes the image displayed on a display unit. Claim1 claims "a method for

Application/Control Number: 10/702,170

Art Unit: 2625

processing images to adjust for tonal degradation characteristics for a display device, the method comprising: receiving a plurality of test pattern images; varying a gradient of one of the plurality of test pattern images to adjust its contrast; automatically varying gradients of other non-selected test pattern images to adjust their contrasts, wherein said variation of gradients is equally shared among the non-selected test pattern images; repeating the varying and automatic varying steps until all test pattern images meet a predefined criteria; and generating a LUT (look-up table) associated with the plurality of test pattern images based on determined variation in gradients."

Claims 2-6 are dependent claims of claim 1.

The closest prior arts in the record are Nakane et al (Nakane) (US 5,461,462), Yip (US 5 369 499) and Takamatsu et al (Takamatsu) (US 6,044,204). Either by Nakane et al, Yip or Takamatsu et al individually, or combined Nakane with Yip and Takamatsu do not teach or suggest the above claimed limitation. Therefore, claims 1-6 are allowable.

Page 4

Application/Control Number: 10/702,170

Art Unit: 2625

Conclusion

3. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Steven Kau whose telephone number is 571-270-1120 and fax number is 571-270-2120. The examiner can normally be reached on M-F, 8:30am-5pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, King Poon can be reached on 571-272-7440. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Ś. Kau

Patent Examiner Division: 2625

November 15, 2007

KING Y. POON SUPERVISORY PATENT EXAMINER

Application No. 10/702,170 Amendment Dated 09/04/2007 Reply to Office Action Dated 06/01/2007 New Sheet




FIG. 18

OK TO ENTEN 10-31-2007 Al.